



**PlumbMaster, Inc.**

# Aqua-Pure<sup>®</sup> Water Filter Systems

BY **CUNO**  
a 3M company



## Water Filters with Whole House Plastic Housings

- Used at Point of Entry to Reduce Sediment, Rust, Precipitated Scale, Iron and Minerals from Water Using Appliances and Plumbing Fixtures
- Standard 3/4" NPT Connections
- Piston Seal for Increased Structural Integrity
- Maximum Temperature 100° F
- For Use with Industry Standard Size Cartridges: 2-1/2" to 3" O.D. x 9-3/4" (single)
- Cat. No 731323 Accepts Two Integral Length 9-3/4" Cartridges for Higher Service Flow Rates, Increased Filtration Efficiencies and Decreased Filter Change Frequency

**Cat. No. Description**

960886	Model No. AP11T with Single High Housing, Blue Head, Clear Sump, Pressure Relief
729307	Model No. AP101T with Single High Housing, Blue Head, Clear Sump, Valve-in-Head
731323	Model No. AP102T with Two-High Housing, Blue Head, Clear Sump, Valve-in-Head
961372	AP110 Replacement Cartridge for Standard Sediment, 5 mμ
961381	AP111 Replacement Cartridge for Medium Sediment, 25 mμ

## Large Diameter High Flow Filters with 800 Series Heavy Duty Plastic Housing

- Used at Point of Entry to Reduce Sediment, Rust, Precipitated Scale, Iron and Minerals from Water Using Appliances and Plumbing Fixtures
- High Flow Rates of up to 60 GPM for Larger Homes
- Maximum Temperature 100° F
- For Use with Industry Standard Size Cartridges: 4-1/2" O.D. x 9-3/4" (single)
- Pressure Relief Button
- 1" NPT Inlet/Outlet Connection



**Cat. No. Description**

894619	Model No. AP801 with White Head and Blue Sump, Wrench, less Cartridge
65217	Model No. AP801C with White Head, Large Diameter Blue Sump, and AP810 Cartridge with Mounting Bracket and Wrench
65218	Model No. AP801T-C with White Head, Large Diameter Clear Sump, and AP810 Cartridge with Mounting Bracket and Wrench
894628	AP810 Replacement Cartridge for Standard Sediment, 5 mμ
00940	AP815 Replacement Cartridge for Chlorine Taste and Odor, 5 mμ



**PlumbMaster, Inc.**

## **Aqua-Pure<sup>®</sup>** Water Filter Systems BY CUE<sup>®</sup> #1 COMPANY

### **Stainless Steel Water Filters**

- Stainless Steel Construction Ensure Reliable Performance
- Ideal for Professional Trade and Locations with Restricted Service and Maintenance
- 316 Stainless Steel Head and 304 One-High Stainless Steel Housing Rated to 300 PSI
- Designed for Use in High Purity Applications
- Made from FDA USA CFR-21 Compliant Materials
- 3/4" NPT Horizontal Connection
- Hot and Cold Water Applications
- For Use with Industry Standard Size Cartridges:  
2-1/2", 2-3/4", 3" O.D. x 9-3/4" Length (single)



AP1610SS

<b>Cat. No.</b>	<b>Description</b>
960985	Model No. AP1610SS for Max. Temp. 100° F, with AP110 Cartridge
A33556	Model No. SST1HA for Max. Temp. 200° F, less Cartridge
961390	AP124 Replacement Cartridge for Coarse Sediment, 50 µm, 100° F
65220	AP 2005 Replacement Cartridge for Model No. SST1HA, 5µm, Sediment, 170° F (2 Per Pack)

### **Heavy-Duty Stainless Steel Water Filter**

- 304L Durable Stainless Steel Construction
- Shouldered Seal Plates Fit Solidly into the Cartridge Core to Ensure a Positive Seal
- V Band Clamp for Quick and Easy Opening and Closing
- Removable Cartridge Post Lifts Out for Easy Cleaning
- Both Sludge and Clean Chambers have Drain Couplings for Easy Cleaning
- Air Vent Allows Venting Before Start-Up or Draining
- High Temperature Capacity (up to 250° F)
- 1-1/2" Male NPT Inlet Connections
- Specially Designed Cartridge Seal Plates for 9-3/4" or 10" Equivalent Length Cartridges



SS4-EPE-316L

<b>Cat. No.</b>	<b>Description</b>
961012	Model No. SS4-EPE-316L, SS Housing (Max. Pressure 150 PSI), 32 GPM



**PlumbMaster, Inc.**



## Water Filter Systems

### Refrigerator Ice & Water Filter

- For Use in Appliances with Ice and Water Dispensers Including Refrigerators, Ice Makers, Drinking Fountains, Coffee Machines and Drink Dispensers
- Reduce Sediment, Rust, Scale and Chlorine Odor and Taste
- Premium Performance Graded Density Filtration
- Standard 1/4" NPT Inlet/Outlet Connections
- Manufactured with FDA CRF-21 Compliant Materials
- 125 PSI Pressure Rated High-Impact Design to Protect Against Stressful Water Conditions
- 100° F Maximum Operating Temperature
- Includes Plumbing Fittings and Installation Hardware



AP717

Cat. No.	Description
----------	-------------

729379	Model No. AP717 In-Line System, Narrow Pack
--------	---

### Hot Water Heater Scale Inhibitor System

- Helps Protect Piping System for Corrosion
- Inhibits Scale Build-Up
- Maintains Efficiency and Extends Life of Hot Water Systems
- Provides a Consistent Dose of Siliphos®, a USDA Approved Food Additive which Binds Calcium and Magnesium Particles and Prevents Build-Up on Metallic Surfaces



AP430SS

Cat. No.	Description
----------	-------------

A33580	Model No. AP430SS In-Line Scale Inhibitor System
--------	--

A33576	AP431 Replacement Cartridge
--------	-----------------------------

### Replacement Cartridges for Discontinued Systems

Cat. No.	Description
----------	-------------

961453	AP317 Cartridge for Model No. AP300 Systems; Removes 5µm Sediment & Rust, Chlorine Taste & Odor, Scale Inhibitor
--------	--

961435	AP517 Replacement Cartridge for Model No. AP510 Systems
--------	---

729343	AP117 Replacement Cartridge for Model No. AP51T Systems (Single High)
--------	---

729325	APC77 Replacement Cartridge for Model No. APCRF Systems; Removes Chemicals
--------	--

961462	APC78 Replacement Cartridge for Model No. APCRF System; Removes Lead
--------	--

A33584	AP410 Replacement Half High Cartridge for Model No. AP400SS; for Standard Sediment, 5 µm (2 per Pack)
--------	---



**PlumbMaster, Inc.**

# Aqua-Pure<sup>®</sup> Water Filter Systems

BY CUNO<sup>®</sup>  
a M Company



## Drinking Water Systems

- Used in Residential and Commercial Kitchens for Healthy Food Preparation and Cooking Needs

Cat. No.	Description
729559	Model No. AP200 Full-Flow Undersink System; 3/8" NPT Connection; Filters Chlorine Taste and Odor and 5 µm Sediment; less Faucet
729568	AP217 Replacement Cartridge for Model No. AP200 Systems
A33560	36851-35 Replacement Gasket for Model No. AP200 Systems
A31992	Model No. AP Easy CS-FF Full-Flow Undersink DWS System; 3/8" JG Connection; Filters Chlorine Taste and Odor, Scale and 5 µm Sediment; less Faucet
65214	C-CS-FF Replacement Cartridge for Model No. AP Easy CS-FF
65215	Model No. AP Easy CYST-FF Full Flow Undersink DWS System; 3/8" JG Connection; Filters Chlorine Taste and Odor, Cyst, Scale and 5 µm Sediment; less Faucet
65216	C-CYST-FF Replacement Cartridge for Model No. AP Easy CYST-FF
61407	Model No. AP Easy CS-S Cooler Undersink DWS; 1/4" Quick Connect; Filters Chlorine Taste and Odor and Scale; less Faucet
65159	Model No. AP Easy CS-S Undersink DWS; 1/4" Quick Connect; Filters Chlorine Taste and Odor and Scale; with Faucet
65211	C-CS-S Replacement Cartridge for Model No. AP Easy C-CS
65153	Model No. AP Easy LC Cooler Undersink DWS; 1/4" Quick Connect; Filters Chlorine Taste and Odor, Scale, Lead and Cyst; less Faucet
A32000	Model No. AP Easy LC Undersink DWS; 1/4" Quick Connect; Filters Chlorine Taste and Odor, Scale, Lead and Cyst; with Faucet
65156	C-LC Replacement Cartridge for Model No. AP Easy LC
65157	AP Easy Complete Undersink DWS; 1/4" Quick Connect; Filters Scale, Lead, Cyst, Chlorine Taste and Odor and VOC's; with Faucet
65158	C-Complete Replacement Cartridge for Model No. AP Easy Complete
961048	Model No. AP-DWS1000 Undersink-DWS System; 1/4" John Guest Connection; Filters Lead, Cyst, VOC's, MTBE and Chlorine Taste and Odor; with Faucet
961480	APDWS80/90 Replacement Cartridge for Model No. AP-DWS1000 Systems, Sold as a set (1) 80 and (1) 90
65212	Model No. AP-RO5500 LF Undersink Reverse Osmosis System; With Tank, less Faucet
61408	Model No. AP-RO5500 Undersink Reverse Osmosis System; with Faucet and Tank
65221	AP5500RM RO Module for R05500
65213	AP5527 Prefilter & Postfilter for AP-RO5500 LF Undersink-RO
65219	Lead Free Faucet for AP-DWS1000 Drinking Water Systems

