

WOLVERINE BRASS® NEW PRODUCT ANNOUNCEMENT

Wolverine Brass Press Fittings

Exclusively Available from PlumbMaster

Wolverine Brass has been trusted by plumbing professionals since 1896. When speed and efficiency matter, Wolverine Brass Press Fittings provide secure and reliable pipe connections the first time – every time – for copper plumbing lines.

Engineered and rigorously tested for use in many popular pressing tool brands, they are compatible with Milwaukee® M12™ and M18™ Press Tools for installation.

A staple for today's toolbox, Wolverine Brass Press Fittings eliminate the need for tedious soldering, cuts down on overall installation time, and provides water-tight connections even on tough angles or in tight quarters. Install with confidence and trust, backed by one year warranty.

FEATURES:

- Made from quality, plumbing-grade materials to resist wear and perform under pressure.
- Leak prevention O-ring is built in with EPDM (Ethylene Propylene Diene Monomer) that's used for sealing applications like potable water, process water, hydronic heating, fire sprinkler and compressed air.
- Operating pressure of 200 psi.
- Tested to perform from a 32° F to 200° F (0° C - 93° C) temperature range.
- Brass fittings are Lead Free.

BENEFITS:

- No flux, solder, or gas required.
- Use with copper press tools which are sold separately.
- Designed and optimized for use in a variety of pressing tools.
- Meets ASME B16.51-2018 and NSF/ANSI 61 requirements.




Compatible with Milwaukee®
M12™ and M18™ Press
Tools for installation.

Press Fittings



1/2"



1/2" WB Press

SKU	DESCRIPTION
99602	90° Elbow CU - 1/2" CxC
99603	90° Street Elbow CU - 1/2" FTGxC
99608	PxF BRZ Adaptor - NPT 1/2" x 1/2"
99609	PxM BRZ Adaptor - NPT 1/2" x 1/2"
99614	Coupling CU w/o Stop - 1/2" CxC
99615	Coupling CU w Stop - 1/2" CxC
99617	Tee CU - 1/2" CxCxC
99621	45° Elbow CU - 1/2" CxC
99622	45° Street Elbow CU - 1/2" FTGxC
99625	Cap CU - 1/2"
50075	1/2" Stock EZ

3/4"



3/4" WB Press

SKU	DESCRIPTION
99600	90° Elbow CU - 3/4" CxC
99601	90° Street Elbow CU - 3/4" FTGxC
99606	PxF BRZ Adaptor - NPT 3/4" x 3/4"
99607	PxM BRZ Adaptor - NPT 3/4" x 3/4"
99612	Coupling CU w/o Stop - 3/4" CxC
99613	Coupling CU w Stop - 3/4" CxC
99616	Tee CU - 3/4" CxCxC
99619	45° Elbow CU - 3/4" CxC
99620	45° Street Elbow CU - 3/4" FTGxC
99626	Cap CU - 3/4"
99628	BRZ Union 3/4" C x 3/4" FPT-NL
99629	BRZ Union 3/4" C x 3/4" MPT-NL
50076	3/4" Stock EZ

1"



1" WB Press

SKU	DESCRIPTION
99604	90° Elbow CU - 1" CxC
99605	90° Street Elbow CU - 1" FTGxC
99610	PxF BRZ Adaptor - NPT 1" x 1"
99611	PxM BRZ Adaptor - NPT 1" x 1"
99618	Tee CU - 1" CxCxC
99623	45° Elbow CU - 1" CxC
99624	45° Street Elbow CU - 1" FTGxC
99627	Cap CU - 1"

STOCK-EZ[®]

KITS

50075 - WB Press 1/2" Stock EZ



1/2" WB Press

SKU	DESCRIPTION	QTY
99602	90° Elbow CU - 1/2" CxC	7
99603	90° Street Elbow CU - 1/2" FTGxC	5
99608	PxF BRZ Adaptor - NPT 1/2" x 1/2"	3
99609	PxM BRZ Adaptor - NPT 1/2" x 1/2"	3
99614	Coupling CU w/o Stop - 1/2" CxC	5
99615	Coupling CU w Stop - 1/2" CxC	5
99617	Tee CU - 1/2" CxCxC	5
99621	45° Elbow CU - 1/2" CxC	5
99622	45° Street Elbow CU - 1/2" FTGxC	3
99625	Cap CU - 1/2"	3

50076 - WB Press 3/4" Stock EZ




3/4" WB Press

SKU	DESCRIPTION	QTY
99600	90° Elbow CU - 3/4" CxC	6
99601	90° Street Elbow CU - 3/4" FTGxC	5
99606	PxF BRZ Adaptor - NPT 3/4" x 3/4"	5
99607	PxM BRZ Adaptor - NPT 3/4" x 3/4"	5
99612	Coupling CU w/o Stop - 3/4" CxC	2
99613	Coupling CU w Stop - 3/4" CxC	5
99616	Tee CU - 3/4" CxCxC	4
99619	45° Elbow CU - 3/4" CxC	3
99620	45° Street Elbow CU - 3/4" FTGxC	3
99626	Cap CU - 3/4"	3
99628	BRZ Union 3/4" C x 3/4" FPT-NL	2



Milwaukee Approved Installation
Tools + Jaws



M18™ 87117 - Milwaukee® M18™ FORCE LOGIC™ Cordless Press Tool Kit with 1/2 - 2" Jaws

- Balanced, in-line design suitable for one-handed use.
- Lightest, in-line design for unrivaled access.
- Longest calibration interval in the industry at 50,000 cycles.
- Press indicator provides visual assurance of a quality connection.
- Auto-cycle ensures full press every time.
- M18™ Press Jaws & Rings deliver unmatched versatility to press up to 4".
- 5-years tool, 2-years jaws, 2-years battery warranty.

M12™ 87118 - Milwaukee® M12™ FORCE LOGIC™ Cordless Press Tool Kit with 1/2 - 1" Jaws

- The smallest and lightest press tool in the market at only 3.8 lb.
- Balanced, in-line design suitable for one-handed use.
- Press indicator provides visual assurance of a quality connection.
- 32,000 cycle calibration interval.
- Interchangeable jaws enable the quick adjustments from 1/2 - 1-1/4".
- 5-years tool, 2-years jaws, 2-years battery warranty.